


[Web](#) [Images](#) [Groups^{New!}](#) [News](#) [Froogle](#) [more »](#)

Javadoc extended annotations

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 4,210 for **Javadoc extended annotations**. (0.43 seconds)**Annotations**

... documentation, it should probably be a **javadoc** tag; otherwise ... a toy, it demonstrates the power of **annotations** and could easily be **extended** to overcome its ...

java.sun.com/j2se/1.5.0/docs/guide/language/annotations.html - 10k - [Cached](#) - [Similar pages](#)

ClassDoc (Doclet API)

... A ClassDoc only exists if it was processed in this run of **javadoc**. ... interfaces() Return interfaces implemented by this class or interfaces **extended** by this ...

java.sun.com/j2se/1.5.0/docs/guide/javadoc/doclet/spec/com/sun/javadoc/ClassDoc.html - 45k -

[Cached](#) - [Similar pages](#)

[[More results from java.sun.com](#)]

Annotations Reference

... developed as a way to embed documentation into source code as comments, **Javadoc** is **extended** by WebLogic Workshop through custom **annotations** that help to define ...

edocs.bea.com/workshop/docs81/doc/en/integration/javadoc-tag/annotationsIntro.html - 5k - [Cached](#) - [Similar pages](#)

ExtendedMetaData (EMF Javadoc)

... static String[], CONTENT_KINDS The strings used to represent the various content kinds in **extended** metadata **annotations**, indexed by kind ID. ...

download.eclipse.org/tools/emf/javadoc/org/eclipse/emf/ecore/util/ExtendedMetaData.html - 101k -

[Cached](#) - [Similar pages](#)

Community Forums: Re: All javadoc tags as annotations

... it wasn't the right way, and I believe **annotations** were created because of the high demand for an **extended** general-purpose markup, for which **Javadoc** tags, that ...

forums.java.net/jive/thread.jspa?forumID=23&threadID=247&messageID=8955 - 36k - [Cached](#) - [Similar pages](#)

Terse Systems : Program Verification

... adds JML **annotations** to the **javadoc**, although you'd think that just specifying a doclet would be adequate), and finally escjava2 (**extended** static checker). ...

tersesystems.com/post/3300057.jhtml - 34k - [Cached](#) - [Similar pages](#)

: Overview

... **Annotations** - Additional information about the object, stored in a Map. ... This fundamental structure is easily **extended** to support a wide variety of content types ...

moe.sourceforge.net/docs/overview-summary.html - 15k - [Cached](#) - [Similar pages](#)

Complete Software Engineering: Ideas Archives

... WYSIWYG **Javadoc** in Source Editor. ... This notion could be **extended** even further if desired. ... [To avoid confusion, **annotations** as I will be discussing them are not ...

www.realityinteractive.com/rgrzywinski/archives/cat_ideas.html - 66k - [Cached](#) - [Similar pages](#)

[PDF] JML: notations and tools supporting detailed design in Java

File Format: PDF/Adobe Acrobat

... At Compaq Systems Research Center, the **Extended** Static Checker ... 12], and that use JML **annotations** for run ... are similar to those produced by **Javadoc** [3]. However ...

portal.acm.org/ft_gateway.cfm?id=367996&type=pdf - [Similar pages](#)

Taming Tiger, Part 3

... since its original inception and has **extended** Java with ... **Annotations** allow programmers to decorate Java code with ... implementation of metadata via its **javadoc** tags ...


[Web](#) [Images](#) [Groups](#)^{New!} [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 33,700 for **metadata annotation comment**. (0.37 seconds)

xml version="1.0" encoding="iso-8859-1"?><!-- FILE : cmeta_1_0. ...
 ... en-uk</dcterms:RFC1766> <dc:description> The CellML **Metadata** Element Set ... </rdfs:comment>
 <rdf:type rdf:resource="&cmets;annotation" /> <rdfs:isDefinedBy ...
www.cellml.org/metadata/cmeta_1_0.rdfs - 8k - [Cached](#) - [Similar pages](#)

CellML.org - CellML **Metadata** Specification - Appendices

... uk </dcterms:RFC1766> <dc:description> The CellML **Metadata** Element Set ... rdfs:comment>
 <rdf:type rdf:resource="&cmets;annotation" /> <rdfs:isDefinedBy ...
www.cellml.org/private/unstable_metadata_spec/appendices.html - 101k - [Cached](#) - [Similar pages](#)
 [[More results from www.cellml.org](#)]

[PDF] **Annotation** in Digital Image Files Douglas A. Kerr, PE Issue 1 May ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... It provides for the viewing, editing, or addition of these types of **annotation metadata**:
 • Exif **annotation Comment** ("User comments")—Read/edit/add* ...
doug.kerr.home.att.net/pumpkin/Annotation.pdf - [Similar pages](#)

Annotation Metadata Overview - all versions - (DLESE) Digital ...

... Capture information that is not a **metadata** field in any DLESE **metadata** framework,
 eg state educational standards; ... Connect an **annotation** or **comment** to a ...
www.dlese.org/Metadata/annotation/ - 14k - [Cached](#) - [Similar pages](#)

Declarative JavaScript programming

... a possibility of including an XDoclet like **comment** with the different **annotations**
 in any method which can be parsed to retrieve **annotation** names and **metadata**. ...
dotnetjunkies.com/WebLog/anoras/archive/2004/08/09/21502.aspx - 20k - [Cached](#) - [Similar pages](#)

SchemaWeb - Classes And Properties - The Agricultural **Metadata** ...

Classes and Properties :: The Agricultural **Metadata** Element Set v.1.1. ... 1.1/
 descriptionNotes. label: Notes. **comment**: Brief statement, **annotation**, **comment**, or/ ...
www.schemaweb.info/schema/SchemaInfo.aspx?id=86 - 38k - [Cached](#) - [Similar pages](#)

ONJava.com: Validating Objects Through **Metadata**

... If you change a Javadoc **comment**, it's not going to change the ... Since **metadata** operates
 in this manner, you can use **Annotations** (Java **metadata**) to support ...
www.onjava.com/pub/a/onjava/2005/01/19/metadata_validation.html - 60k - Jan 26, 2005 - [Cached](#) - [Similar pages](#)

[PDF] **Simple Metadata Annotation Specification Version 6.2** – February ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... The first **metadata annotation** pass focuses on filler and delreg ... the speaker utters
 a short side **comment** on a ... SimpleMDE_V6.2 Simple MDE **Annotation Specification** ...
www ldc.upenn.edu/Projects/MDE/Guidelines/SimpleMDE_V6.2.pdf - [Similar pages](#)

Image Description 'roundtrip'

... Example flow to find and present **metadata**. ... JPEG) image file itself; Find RDF in the
comment segment in ... Get image description as well as **annotation** on areas of ...
www.kanzaki.com/docs/sw/img-descr20030827.html - 10k - [Cached](#) - [Similar pages](#)

Metadata Repository: CollectionsVsItems

... stark conflict with our goal to reduce the involvement of NSDL personnel with **metadata**
 to 0 ... Google's notion of '**annotation/comment**' also provoked some thinking. ...
repository.comm.nsd.org/cgi-bin/wiki.pl?CollectionsVsItems - 7k - [Cached](#) - [Similar pages](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **metadata annotation methods**

Found 11,359 of 148,786

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Automatic metadata creation: Automated semantic annotation and retrieval based on sharable ontology and case-based learning techniques](#)

Von-Wun Soo, Chen-Yu Lee, Chung-Cheng Li, Shu Lei Chen, Ching-chih Chen

 May 2003 **Proceedings of the 3rd ACM/IEEE-CS joint conference on Digital libraries**

Full text available: pdf(910.69 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Effective information retrieval (IR) using domain knowledge and semantics is one of the major challenges in IR. In this paper we propose a framework that can facilitate image retrieval based on a sharable domain ontology and thesaurus. In particular, case-based learning (CBL) using a natural language phrase parser is proposed to convert a natural language query into resource description framework (RDF) format, a semantic-web standard of metadata description that supports machine readable semantics ...

2 [Annotea: an open RDF infrastructure for shared Web annotations](#)

José Kahan, Marja-Ritta Koivunen

 April 2001 **Proceedings of the tenth international conference on World Wide Web**

Full text available: pdf(271.46 KB)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: RDF, World-Wide Web, XML, XPointer, annotations, metadata, semantic web

3 [Languages & Authoring for the Semantic Web: Authoring and annotation of web pages in CREAM](#)

Siegfried Handschuh, Steffen Staab

 May 2002 **Proceedings of the eleventh international conference on World Wide Web**

Full text available: pdf(764.65 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Richly interlinked, machine-understandable data constitute the basis for the Semantic Web. We provide a framework, CREAM, that allows for creation of metadata. While the annotation mode of CREAM allows to create metadata for existing web pages, the authoring mode lets authors create metadata --- almost for free --- while putting together the content of a page. As a particularity of our framework, CREAM allows to create *relational metadata*, i.e. metadata that instantiate interrelated definitions ...

Keywords: RDF, annotation, metadata, semanticWeb


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **metadata annotation interface**

 Found **9,692** of **148,786**

Sort results by

☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results

☒ [Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Video retrieval: The Family Video Archive: an annotation and browsing environment for home movies](#)

Gregory D. Abowd, Matthias Gauger, Andreas Lachenmann

 November 2003 **Proceedings of the 5th ACM SIGMM international workshop on Multimedia information retrieval**

 Full text available: [pdf\(447.13 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present the Family Video Archive as a tool to give consumers the ability to annotate and browse large collections of informal family movies. The informal nature of home movies makes it difficult to use fully-automated techniques for scene detection and annotation. Our system explores the symbiosis between automated and manual techniques for annotation. We also explore the use of a zooming interaction paradigm for browsing and filtering large collections of video scenes.

Keywords: home movies, video annotation, zooming user interfaces

2 [Mobile applications: Metadata creation system for mobile images](#)

Risto Sarvas, Erick Herrarte, Anita Wilhelm, Marc Davis

 June 2004 **Proceedings of the 2nd international conference on Mobile systems, applications, and services**

 Full text available: [pdf\(564.05 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The amount of personal digital media is increasing, and managing it has become a pressing problem. Effective management of media content is not possible without content-related metadata. In this paper we describe a content metadata creation process for images taken with a mobile phone. The design goals were to automate the creation of image content metadata by leveraging automatically available contextual metadata on the mobile phone, to use similarity processing algorithms for reusing shared me ...

Keywords: automated content metadata, content-based image retrieval, digital image management, mobile camera phones, wireless multimedia applications

3 [Interactive posters: supporting design: Interface design for metadata creation](#)

Abe Crystal

 April 2003 **CHI '03 extended abstracts on Human factors in computing systems**

 Full text available: [pdf\(253.89 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The rapid growth of the Web has increased the importance of decentralized metadata creation. Resource authors must create their own metadata to enable enhanced information seeking and retrieval, and they need effective interfaces to support their work. This paper



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

idl annotation metadata

SEARCH

THE GUIDE TO COMPUTING LITERATURE


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **idl annotation metadata**Found **1,413** of **846,556**

Sort results by

relevance

Display results

expanded form

Save results to a Binder

Search Tips

☐ Open results in a new window
Try an [Advanced Search](#)Try this search in [The Digital Library](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐1 [The development of a video metadata authoring and browsing system in XML](#)

Andrew Yao, Jesse Jin

December 2000 **Selected papers from the Pan-Sydney workshop on Visualisation - Volume 2**

Full text available: pdf(1.04 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Facing a large amount of rich visual video information, conventional video search techniques such as fast forward/rewind are no longer sufficient. Users want to be able to browse, to be selective at what they see just like how they have accessed textual information. This creates a problem because raw video bits do not possess the same user-level information as text and thus are not directly search-able in the same way. Consequently, video needs to be retrieved and indexed through its semantic co ...

2 [Workshop on compositional software architectures: workshop report](#)May 1998 **ACM SIGSOFT Software Engineering Notes**, Volume 23 Issue 3Full text available: pdf(2.91 MB) Additional Information: [full citation](#), [index terms](#)3 [Web and e-business application: Migrating data-intensive web sites into the Semantic Web](#)

Ljiljana Stojanovic, Nenad Stojanovic, Raphael Volz

March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Full text available: pdf(765.48 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Semantic Web is intended to enable machine processability of web content and seems to be a solution for many drawbacks of the current Web. It is based on metadata that describe the formal semantics of Web contents. We present a novel, integrated and automated approach for migrating data-intensive Web applications into the Semantic Web. This approach can be applied to a broad range of today's business Web sites.

Keywords: data-intensive web sites, ontology, semantic web4 [Open Metadata Formats: Efficient XML-Based Communication for High Performance Computing](#)

Patrick Widener, Greg Eisenhauer, Karsten Schwan, Fabián E. Bustamante

July 2002 **Cluster Computing**, Volume 5 Issue 3Full text available: [Publisher Site](#)Additional Information: [full citation](#), [abstract](#), [index terms](#)


[Web](#) [Images](#) [Groups](#)^{New!} [News](#) [Froogle](#) [more »](#)

Attribute-Oriented Programming

Search

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 6,900 for **Attribute-Oriented Programming**. (0.35 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

XDoclet: Attribute-Oriented Programming - Welcome

... Welcome! What is XDoclet? XDoclet is an open source code generation engine.

It enables **Attribute-Oriented Programming** for java. ...xdoclet.sourceforge.net/ - 16k - [Cached](#) - [Similar pages](#)**XDoclet: Attribute-Oriented Programming - Tag Reference**

Last published: 23 October 2004 | Doc for 1.2.2. ...

xdoclet.sourceforge.net/xdoclet/tags/apache-tags.html - 32k - [Cached](#) - [Similar pages](#)[[More results from xdoclet.sourceforge.net](#)]**ONJava.com: Peeking Inside the Box: Attribute-Oriented Programming ...**Peeking Inside the Box: **Attribute-Oriented Programming** with Java 1.5, Part1. by Don Schwarz 06/30/2004 ... **Attribute-Oriented Programming**. ...www.onjava.com/pub/a/onjava/2004/06/30/insidebox1.html - 50k - [Cached](#) - [Similar pages](#)**ONJava.com: Peeking Inside the Box: Attribute-Oriented Programming ...**Peeking Inside the Box: **Attribute-Oriented Programming** with Java 1.5, Part

2. by Don Schwarz 07/21/2004 In the previous article in ...

www.onjava.com/pub/a/onjava/2004/07/21/insidebox2.html - 59k - [Cached](#) - [Similar pages](#)[[More results from www.onjava.com](#)]**Article: Attribute-Oriented Programming with Java 1.5**... Article: **Attribute-Oriented Programming** with Java 1.5. Posted by: Dion Almaer onJuly 01, 2004 @ 01:44 AM. ... Article: **Attribute-Oriented Programming** with Java 1.5. ...www.theserverside.com/news/thread.tss?thread_id=27020 - 60k - [Cached](#) - [Similar pages](#)**Peeking Inside the Box: Attribute-Oriented Programming with Java ...**... 作者 : Don Schwarz. Peeking Inside the Box: **Attribute-Oriented Programming** withJava 1.5. ... belongs. **Attribute-Oriented Programming**. What I ...blog.csdn.net/arthat1982/archive/2004/08/31/90116.aspx - 34k - [Cached](#) - [Similar pages](#)**Peeking Inside the Box: Attribute-Oriented Programming with Java ...**... **Oriented Programming** with Java 1.5, Part 2 作者 : Don Schwarz. Peeking Insidethe Box: **Attribute-Oriented Programming** with Java 1.5. ...blog.csdn.net/arthat1982/archive/2004/08/31/90121.aspx - 26k - [Cached](#) - [Similar pages](#)[[More results from blog.csdn.net](#)]**Attribute Oriented Programming != Aspect Oriented Programming**... **Attribute Oriented Programming** != Aspect Oriented Programming. ... re: **Attribute Oriented Programming** != Aspect Oriented Programming 4/24/2004 12:07 AM Wes. ...weblogs.asp.net/Mnolton/archive/2004/04/23/119181.aspx - 39k - [Cached](#) - [Similar pages](#)**Java Technologies Peeking Inside the Box: Attribute-Oriented ...**... 7/27/2004 3:48:15 PM. Peeking Inside the Box: **Attribute-Oriented Programming** with

Java 1.5, Part 1. By Don Schwarz for O'Reilly Network. Summary: ...

java.ittoolbox.com/documents/document.asp?i=3098 - 22k - [Cached](#) - [Similar pages](#)**XDoclet: Attribute-Oriented Programming - Welcome**

... What is XDoclet? XDoclet is a code generation engine. It enables

Attribute-Oriented Programming for java. In short, this means that ...<http://www.google.com/search?hl...>



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: ☐ The ACM Digital Library ☒ The Guide

"Attribute-Oriented" Programming

SEARCH

THE GUIDE TO COMPUTING LITERATURE


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **Attribute Oriented Programming**

Found 40,649 of 846,556

Sort results
by

relevance

Display
results

expanded form

Save results to a Binder

Search Tips

☐ Open results in a new
window
Try an [Advanced Search](#)Try this search in [The Digital Library](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐1 [Quick and incomplete responses: the semantic approach](#)

Chung-Dak Shum

December 1993 **Proceedings of the second international conference on Information and knowledge management**Full text available: pdf(1.00 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)2 [Mining optimized association rules for numeric attributes](#)

Takeshi Fukuda, Yasuhido Morimoto, Shinichi Morishita, Takeshi Tokuyama

June 1996 **Proceedings of the fifteenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems**Full text available: pdf(873.60 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)3 [Data mining using two-dimensional optimized association rules: scheme, algorithms, and visualization](#)

Takeshi Fukuda, Yasukiko Morimoto, Shinichi Morishita, Takeshi Tokuyama

June 1996 **ACM SIGMOD Record, Proceedings of the 1996 ACM SIGMOD international conference on Management of data**, Volume 25 Issue 2Full text available: pdf(1.14 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We discuss data mining based on association rules for two numeric attributes and one Boolean attribute. For example, in a database of bank customers, "Age" and "Balance" are two numeric attributes, and "CardLoan" is a Boolean attribute. Taking the pair (Age, Balance) as a point in two-dimensional space, we consider an association rule of the form ((Age, Balance) ∈ P) &Arr; (CardLoan = Yes), which implies that bank customers whose ages and balances fall in ...

4 [Tutorial database mining](#)

Rakesh Agrawal

May 1994 **Proceedings of the thirteenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems**Full text available: pdf(123.97 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We view database mining as the efficient construction and verification of models of patterns embedded in large databases. Many of the database mining problems have been motivated by the practical decision support problems faced by most large retail organizations. In the Quest project at the IBM Almaden Research center, we have focussed on three classes of database mining problems involving classification, associations, and sequences. In this



Attribute-Oriented Programming

Search


[Advanced Scholar Search](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 43 for **Attribute-Oriented Programming** . (0.05 seconds)[CITATION] XDoclet **Attribute Oriented Programming**; 2003 - [Web Search](#)XD Team - [Cited by 1](#)[PDF] [Incorporating Domain Knowledge into Attribute-Oriented Data Mining](#)SI McClean, BW Scotney, CM Shapcott - [Cited by 5](#)... **Attribute-oriented** knowledge discovery has proved to be a powerful approach for mining ... or derived from a knowledge base using inductive logic **programming** to re ...INTERNATIONAL JOURNAL OF INTELLIGENT SYSTEMS, 2000 - [doi.wiley.com](#) - [doi.wiley.com](#)[PDF] [Managing Complexity In Middleware](#)A Colyer, G Blair, A Rashid - [View as HTML](#) - [Cited by 2](#)... interpretation. The following Xdoclet [14] fragment is an example of declarative specification through **attribute-oriented programming**. It ...Workshop on Aspect Components and Patterns, AOSD, 2003 - [cs.ubc.ca](#) - [cs.ubc.ca](#)[PS] [ATTRIBUTE-ORIENTED INDUCTION IN OBJECT-ORIENTED DATABASES](#)J Xia - [View as HTML](#)Page 1. **ATTRIBUTE-ORIENTED INDUCTION IN OBJECT-ORIENTED DATABASES**. by. ... CHAPTER 2. KNOWLEDGE DISCOVERY IN DATABASES. 9. 2.2 The **Attribute-Oriented** Induction Method ...Simon Fraser University, 1994 - [fas.sfu.ca](#) - [cs.sfu.ca](#) - [fas.sfu.ca](#) - [cs.sfu.ca](#) - [all 6 versions »](#)[PS] [Performance Evaluation of Attribute-Oriented Algorithms for Knowledge Discovery from Databases: ...](#)CL Carter, HJ Hamilton - [View as HTML](#)... An **attribute-oriented** induction algorithm takes as input a relation retrieved from a ... can be read into main memory, and standard **programming** techniques can be ...[cs.uregina.ca](#) - [cs.uregina.ca](#)[PDF] [Using Runtime Information for Adapting Enterprise Java Beans Application Servers](#)M Trofin, J Murphy - [View as HTML](#)... <http://jakarta.apache.org/velocity/> [11]XDoclet – **Attribute Oriented Programming**.<http://xdoclet.sourceforge.net/> [12]Object Management Group. ...[cs.virginia.edu](#) - [cs.virginia.edu](#) - [eeng.dcu.ie](#)[PDF] [Classification of Model Transformation Approaches](#)K Czarnecki, S Helsen - [View as HTML](#) - [Cited by 1](#)... Wil03], ATOM [ATOM], VIATRA [VVP02], BOTL [BM03, MB03], ATL [BDJR03], and proposals based on relations [AK02], and object-oriented logic-**programming** [GLR+02 ...OOPSLA, 2003 - [swen.uwaterloo.ca](#) - [helsen.org](#) - [softmetaware.com](#) - [swen.uwaterloo.ca](#)[PDF] [Adaptive Data Dissemination and Caching for Edge Service Architectures built with the J2EE](#)

E Liebmam, S Dustdar

... the code of the architecture can be integrated by facilitating aspect oriented **programming** [3] methods or by tailoring **attribute oriented programming** tools to ...Proceedings of the 2004 ACM symposium on Applied computing, 2004 - [portal.acm.org](#) - [infosys.tuwien.ac.at](#) - [portal.acm.org](#)[PDF] [Program Generation](#)M Voelter - [View as HTML](#)... You want to develop application logic at a higher level of abstraction than the level provided by the **programming** language use, for ... **Generative Programming**. ...<http://scholar.google.com/scholar?>...



Web

Results 1 - 10 of about 7,300 for **EJBDoclet**. (0.24 seconds)

SourceForge.net: Project Info - EJBDoclet

... **EJBDoclet** is a JavaDoc plugin (Doclet) that generates EJB related source files from an EJB bean source file that has been JavaDoc commented by using special ...
sourceforge.net/projects/ejbdoclet/ - 40k - [Cached](#) - [Similar pages](#)

How to generate Enterprise Java Beans with EJBDoclet (XDoclet)

How to generate Enterprise Java Beans with **EJBDoclet** (XDoclet). Under construction(!). ...
 Calling **EJBDoclet**. For now there is no way to use **EJBDoclet** without Ant. ...
www.huihoo.com/jboss/online_manual/3.0/ch10s29.html - 26k - [Cached](#) - [Similar pages](#)

jGuru: What is EJBDoclet?

... Search jGuru Search Help. Question, What is **EJBDoclet**? Topics, Java:API:EJB, Tools, Java:API:EJB:Products, Tools:JavaDoc. Author, John Mitchell PREMIUM. ...
jguru.com/faq/view.jsp?EID=285175 - 17k - [Cached](#) - [Similar pages](#)

XDoclet: Attribute-Oriented Programming - ejbdoclet

... **ejbdoclet**. This task executes various EJB-specific sub-tasks. ... ejbSpec, The version of EJB spec **ejbdoclet** should adhere, currently "1.1" and "2.0" defined. ...
www.coyotesong.com/xdoclet/ant/xdoclet/modules/ejb/EjbDocletTask.html - 33k - [Cached](#) - [Similar pages](#)

XDoclet 1.0, successor to EJBDoclet is released!

... XDoclet 1.0, successor to **EJBDoclet** is released! Posted by: Herve Tchepannou on September 20, 2001 @ 10:37 AM. ... XDoclet 1.0, successor to **EJBDoclet** is released! ...
www.theserverside.com/news/thread.tss?thread_id=9148 - 64k - [Cached](#) - [Similar pages](#)

EclipsePlugins : comment(s) on Eclipse plugin

... Buildfile: C:\shareware\eclipse-SDK-3.0M7-win32\eclipse\workspace\XXX\EJBJAR\META-INF\build.xml init: **ejbdoclet**: init: **ejbdoclet**: [**ejbdoclet**] XDoclet classpath ...
www.eclipse-plugins.info/eclipse/plugin_comments.jsp?id=38&pager.offset=130&firstItem=131 - 20k - [Cached](#) - [Similar pages](#)

GDS - http://gd.tuwien.ac.at/e/ej/ejbdoclet/

... Files. File name, Listing, MDate, Size(B). **EJBDoclet**-0.7.zip, [1], 21 Dec 00 16:12, 56 827. **ejbdoclet**-0.8.zip, [2], 15 Jan 01 15:01, 85 008. **ejbdoclet**-0.9.zip, ...
sf.gds.tuwien.ac.at/e/ej/ejbdoclet/ - 17k - [Cached](#) - [Similar pages](#)

[Xdoclet-user] Why am I getting [ejbdoclet] null???

[Xdoclet-user] Why am I getting **[ejbdoclet]** null??? Tue, 04 Jan 2005 06:57:43 -0800. ... What generates the "**[ejbdoclet]** null" output? ...
www.mail-archive.com/xdoclet-user@lists.sourceforge.net/msg09937.html - 11k - [Cached](#) - [Similar pages](#)

Re: [Xdoclet-user] Why am I getting [ejbdoclet] null???

Re: [Xdoclet-user] Why am I getting **[ejbdoclet]** null??? ... To clarify, the **<ejbdoclet>** target fails when trying to run the **<remoteinterface>** element. ...
www.mail-archive.com/xdoclet-user@lists.sourceforge.net/msg09938.html - 13k - [Cached](#) - [Similar pages](#)
[\[More results from www.mail-archive.com \]](http://www.mail-archive.com/)

XDoclet: Attribute-Oriented Programming - ejbdoclet

... **ejbdoclet**. This task executes various EJB-specific sub-tasks. ... ejbSpec, The version of EJB spec **ejbdoclet** should adhere, currently "1.1", "2.0" and "2.1" defined. ...
xdoclet.sourceforge.net/xdoclet/ant/xdoclet/modules/ejb/EjbDocletTask.html - 20k - [Cached](#) - [Similar pages](#)